Republic of the Philippines PHILIPPINE HEALTH INSURANCE CORPORATION

Lynzee's Bldg., #766 J. Rosales Ave., Butuan City Tel.# 341-1159 / 341-6488 / 342-6992

PURCHASE ORDER

| Supplier Registered with: DTI No. Gettlemen: Please furnish this office the following articles subject to the terms and conditions contained herein: Place of Delivery: PhilHealth Regional Office - Caraga Date of Delivery: Date of Delivery: PhilHealth Regional Office - Caraga Payment Term: 15 calendar days Payment Term: COD Unit ITEMS DESCRIPTION QTY. UNIT COST AMOUNT unit Relay, 8-pin, at least 12 amperes 220/240 VAC, suitable for 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
|--|-------------|
| Tel/Fax No.: | |
| Gettlemen: Please furnish this office the following articles subject to the terms and conditions contained herein: Place of Delivery: PhilHealth Regional Office - Caraga Date of Delivery: August 15, 2012 Unit ITEMS DESCRIPTION QTY. UNIT COST AMOUNT Unit Relay, 8-pin, at least 12 amperes 220/240 VAC, suitable for 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
| Please furnish this office the following articles subject to the terms and conditions contained herein: Place of Delivery: PhilHealth Regional Office - Caraga Date of Delivery: 15, 2012 Delivery: COD Unit ITEMS DESCRIPTION QTY. UNIT COST AMOUNT unit Relay, 8-pin, at least 12 amperes 220/240 VAC, suitable for 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
| Please furnish this office the following articles subject to the terms and conditions contained herein: Place of Delivery: PhilHealth Regional Office - Caraga Date of Delivery: 15, 2012 Delivery: COD Unit ITEMS DESCRIPTION QTY. UNIT COST AMOUNT unit Relay, 8-pin, at least 12 amperes 220/240 VAC, suitable for 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
| Date of Delivery : August 15, 2012 Payment Term : CO D Unit ITEMS DESCRIPTION QTY. UNIT COST AMOUNT unit Relay, 8-pin, at least 12 amperes 220/240 VAC, suitable for 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
| Date of Delivery : August 15, 2012 Payment Term : CO D Unit ITEMS DESCRIPTION QTY. UNIT COST AMOUNT unit Relay, 8-pin, at least 12 amperes 220/240 VAC, suitable for 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
| unit Relay, 8-pin, at least 12 amperes 220/240 VAC, suitable for 9 617.12 5,8 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
| unit Relay, 8-pin, at least 12 amperes 220/240 VAC, suitable for 9 617.12 5,8 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
| 5-TR aircon units (Split/floor Mounted Type) Less: NONVAT x 3% 166.62 EWT x 1% 55.54 | |
| EWT x 1% <u>55.54</u> | 554.08 |
| · | 222.16 |
| | 331.92 |
| WITHIN THE COB 2012 WARCELITO M. MACTIBAY FE A. BUDGET OFFICER III DESIGNATE | |
| | |
| R)V# 12-06-169 dtd. 6/14/12 | |
| (Amount in Words) FIVE THOUSAND FIVE HUNDRED FIFTY FOUR PESOS & 8/100 ONLY | |
| In case of failure to make the full delivery within the time specified above, a penalty of one-tentr of one (1) percent of every day of delay shall be imposed. | ī (1/10 |
| APPROVED: JOHNNY Y. SYCHUA () Assistant Vice President | |
| CONFORME: Head of Procuring Entity Signature over printed name of Supplier | |
| 7/3//2 DATE | |
| Funds Available : | |
| JULIETA BARIQUIT, CPA,MBA Fiscal Controller IV BRO No.: CGA-12-270-14(MOOE) Amount : P5,554.08 | Ł |