



Republic of the Philippines
PHILIPPINE HEALTH INSURANCE CORPORATION

Citystate Centre, 709 Shaw Boulevard, Pasig City
 Healthline 637-9999 www.philhealth.gov.ph

PhilHealth



Ka-Pamilya Mo!

PHILHEALTH CIRCULAR

No. 19, s-2005

TO : ALL ACCREDITED INSTITUTIONAL HEALTH CARE PROVIDERS, PHILHEALTH REGIONAL OFFICES (PROs), PHILHEALTH CENTRAL OFFICE AND ALL MEMBERS OF THE NATIONAL HEALTH INSURANCE PROGRAM

SUBJECT : Reimbursement of Claims for Drugs Listed in the Philippine National Drug Formulary (PNDF) Volume One, Sixth Edition

Pursuant to Section 37 of Republic Act No. 7875 and PhilHealth Board Resolution No. 265 s. 1999 which provides for the use of the latest edition of the PNDF for reimbursement, the said list of drugs shall be implemented as follows:

1. Newly listed drugs and drug preparations that are now included in Sections 16.0 Solutions Correcting Water, Electrolyte, Acid-base and Caloric Disturbances, 17.0 Diagnostic Agents, 18.0 Dermatological and Mucous Membrane Agents (Topical), 19.0 Ophthalmological Preparations, 20.0 Ear, Nose and Throat Preparations, 21.0 Vitamins and Minerals, and 22.0 Disinfectants of the PNDF, Volume 1, 6th edition (Annexes 1-7), shall be compensable for claims with discharge dates starting September 1, 2005.
2. Denial of claims for delisted drugs and drug preparations in the above mentioned sections and the previous sections of the PNDF 5th edition (Sections 2.0, 7.0, 8.0, 13.0 to 15.0 as per Circular No. 26, s. 2004 and Sections 9.0 to 12.0 as per Circular No. 08, s. 2005) shall be deferred until December 31, 2005.
3. Claims for drugs listed in the 5th edition of the PNDF (Sections 2.0, 7.0 to 22.0) shall remain compensable for claims with discharge dates until December 31, 2005.
4. For claims with discharge dates starting January 1, 2006, reimbursement for drugs and medicines shall be based solely on the 6th edition of the PNDF, Volume 1.

All other issuances inconsistent with this circular are hereby repealed and modified accordingly.

Lorna O. Fajardo
 LORNA O. FAJARDO, CESO III
 Officer-In-Charge
 Office of the President and CEO

Date Signed: AUG 22 2005



ANNEX 1

NEW DRUGS AND DRUG PREPARATIONS INCLUDED IN THE PNDF VOL. ONE (1) SIXTH (6TH) EDITION Section 16.0 SOLUTIONS CORRECTING WATER, ELECTROLYTE, ACID-BASE AND CALORIC DISTURBANCES

A. NEWLY LISTED DRUGS (compensable by September 1, 2005)

GENERIC NAME	ROUTE	PREPARATION
<i>acetate-based containing potassium-free dialysate</i>		Sodium: 135 – 145 mEq/L Potassium: 0 Calcium: 2.5 – 3.8 mEq/L Dextrose: 10 – 15 mEq/L Bicarbonate: 0 Acetate: 30 – 40 mEq/L % daily utilization by dialysis unit: 10%
<i>adult polymeric enteral nutrition</i>	Oral:	Calories: 100-475 Kcal Dilution: 1:1 – 1.5:1 Carbohydrates: 13.8 – 59 g Protein: 3.8 – 19.9 Fat: 3.4 – 21.5 g mOsm/kg: 270 – 730 Sodium: 75 – 402 mg Potassium: 370 – 580 mg Phosphorous: 47 – 307 mg Volume: 100 mL – 1 L
<i>all-in-one admixtures (also called "3-in-1" or "dual energy" solutions)</i>		Volume: 1000 mL – 2500 mL Concentration: Variable CHO: 7 – 15 g/100 mL Protein: 4 – 5 g/100 mL Lipid: 2 – 5 g/100 mL Calories: 50 – 100 Kcal Electrolytes: Variable
<i>amino acid solutions for infants</i>		Volume: 100 mL Concentration: 5 – 7% Protein: 20 – 50 g; including taurine Calories: 80 – 150 Electrolytes: None
<i>amino acid solutions for hepatic failure</i>		Volume: 500 mL Concentration: 5 – 8% Protein: 35 – 50 g; rich in branched-chain amino acids Calories: 50 – 200 Electrolytes: Variable
<i>amino acid solutions for immuno-nutrition / immuno-enhancement</i>		Volume: 50 mL and 100 mL Protein: 20 g; L-alanyl-L-glutamine Calories: 70 – 90 Electrolytes: None
<i>amino acid solutions for renal conditions</i>		Volume: 500 mL Concentration: 3.5 – 7% Protein: 35 – 50 g; rich in essential amino acid Calories: 50 – 200 Kcal
<i>bicarbonate-based containing potassium-free dialysate</i>		Sodium: 135 – 145 mEq/L Potassium: 0 Calcium: 2.5 – 3.8 mEq/L Dextrose: 10 – 15 Bicarbonate: 30 – 40 Acetate: 0 % daily utilization by dialysis unit: 9%
<i>combined glucose-amino acid solutions</i>		Volume: 100 mL and 500 mL Concentration: Variable Glucose: 25 – 50 g Protein: 20 – 30 g Calories: 300 – 450 Kcal Electrolytes: Variable



A. NEWLY LISTED DRUGS (compensable by September 1, 2005)

GENERIC NAME	ROUTE	PREPARATION
<i>disease-specific enteral nutrition</i>	Oral:	Calories: 100-1000 Kcal Dilution: 1:1 – 2:1 Carbohydrates: 10.4 – 156 g Protein: 5.5 – 88 g Fat: 3.3 – 108 g mOsm/kg: 230 – 635 Sodium: 80 – 2400 mg Potassium: 172 – 5600 mg Phosphorous: 50 – 1789 mg Volume: 50 mL – 500 mL 50 g to 500 g
<i>fat-soluble vitamins intravenous (IV)</i>	Inj.:	contains vitamins A, D, E and K 10 mL ampul (IV)
<i>fiber-containing enteral nutrition</i>	Oral:	Calories: 100-1048 Kcal Dilution: 1:1 Carbohydrates: 13.8 – 148 g Protein: 3.8 – 40 g Fat: 3.4 – 34.7 g mOsm/kg: 270 – 375 Sodium: 46.5 – 930 mg Potassium: 78.5 – 1570 mg Phosphorous: 63 – 720 mg Fiber: 2.0 - 10.6 g Volume: 100 g – 400 g, 500 mL
<i>low calcium dialysate</i>		Sodium: 135 – 145 mEq/L Potassium: 1.5 – 3.0 mEq/L Calcium: below 2.6 mEq/L Dextrose: 10 – 15 mEq/L Bicarbonate: 30 – 40 mEq/L Acetate: 0 1% daily utilization by dialysis unit: 13.5%
<i>modular enteral nutrition</i>	Oral:	Calories: 9.5-380 Kcal Dilution: 0 Carbohydrates: 0.67 – 94 g Protein: 5 – 23 g Fat: 0.6 g mOsm/kg: 900 Sodium: 15 – 110 mg Potassium: 10 – 66 mg Phosphorous: 5 – 30 mg Volume: 280 g – 400 g
<i>oral rehydration salts (ORS 75-replacement)</i>	Oral:	Composition of reduced osmolarity ORS per liter of water (WHO recommended): Sodium chloride - 2.6 g Trisodium citrate - 2.9 g dihydrate Potassium chloride - 1.5 g Glucose anhydrous - 13.5 g Total Weight - 20.5 g Reduced osmolarity ORS Equivalent in mmol/L: Sodium - 75 Chloride - 65 Potassium - 20 Citrate - 10 Glucose anhydrous - 75 Total osmolarity - 245 N.B. Reconstitute with clean potable water. Unused reconstituted solution shall be discarded after 24 hours.

Central Records

 TERESA A. QUIAOIT
 Records Officer III
 Date: 8/27/05
 CERTIFIED TRUE COPY

A. NEWLY LISTED DRUGS (compensable by September 1, 2005)

GENERIC NAME	ROUTE	PREPARATION
<i>pediatric polymeric enteral nutrition</i>	Oral:	Calories: 445-511 Kcal Dilution: 1:1 Carbohydrates: 14.9 – 62.2 g Protein: 13.4 – 54.3 g Fat: 16.2 – 26 g mOsm/kg: 308 – 345 Sodium: 120 – 250 mg Potassium: 400 – 750 mg Phosphorous: 150 – 760 mg Volume: 100 g
<i>semi-elemental enteral nutrition</i>	Oral:	Calories: 100-1300 Kcal Dilution: 1:1 – 1.3:1 Carbohydrates: 13.8 – 177.2 g Protein: 3.0 – 66.6 g Fat: 3.9 – 37.4 g mOsm/kg: 375 – 575 Sodium: 66 – 1040 mg Potassium: 135 – 1730 mg Phosphorous: 22 – 867 mg Volume: 100 mL – 1 L 76 g – 450 g
<i>trace elements vitamins intravenous (IV)</i>	Inj.:	contains Zn, Cu, Mn, Mg, Mb etc. 10 ml ampul (IV nutrition)
<i>water-soluble vitamins intravenous (IV)</i>	Inj.:	contains vitamin B complex and vitamin C 1 mL vial and 2 mL ampul (IV)

-Nothing follows-



B. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDF. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDF.

GENERIC NAME	ROUTE	PREPARATION
0.9% sodium chloride	Inj.:	2 mL, 2.5 mL and 5 mL ampul 100 mL and 200 mL bottle (IV infusion) Composition: Na+ - 154 mmol/L Cl- - 154 mmol/L
amino acids, crystalline standard	Inj.:	10%, 100 mL and 500 mL bottle (IV infusion)
calcium gluconate (1,2)	Inj.:	10%, 10 mL vial (IV) 10%, 20 mL and 25 mL bottle (IV)
hemodialysis solution	Solution:	(concentrate) 5 gallon (approx. 20 L) drum, 5 L and 10 L Composition per liter: Magnesium chloride hexahydrate Calcium chloride dihydrate, USP Sodium acetate trihydrate Sodium chloride
lipids (also for parenteral nutrition)	Emulsion:	Volume: 100 – 500 mL Concentration: 10 – 20% Protein: 50 – 100 g/100 mL Lipid: 10 – 20 g/100 mL (LCT or combined LCT-MCT) Calories: 100 – 200 cal/100 mL
oral maintenance salts (OMS)	Oral:	Electrolytes: Variable Equivalent in mmol/L: Sodium - 45 - 50 Chloride - 40 - 50 Potassium - 20 Glucose - 100 – 110 Base: as citrate - 10 or as bicarbonate - 20 – 30 Total osmolarity - 235 – 240
peritoneal dialysis solution	Solution:	Sterile with 1.5% dextrose, 1 L, 1.5 L and 2 L bottle Composition per 100 mL: 2.5% Dextrose hydrous 2.5 g Sodium lactate 390 mg anhydrous Sodium chloride 570 mg Calcium chloride 20 mg dihydrate Magnesium chloride 10 mg hexahydrate May contain hydrochloric acid or sodium hydroxide for pH adjustment.
potassium chloride (also for parenteral nutrition)	Inj.:	2 mEq/mL, 2 mL and 5 mL ampul (IV infusion) 2 mEq/mL, 10 mL vial (IV infusion)
water for injection (triple distilled water)	Inj.:	2 mL, 5 mL, ampul 50 mL, 100 mL, 500 mL and 1 L bottle

-Nothing follows-



ANNEX 2

NEW DRUGS AND DRUG PREPARATIONS INCLUDED IN THE PNDF VOL. ONE (1) SIXTH (6TH) EDITION Section 17.0 DIAGNOSTIC AGENTS

A. NEWLY LISTED DRUGS (compensable by September 1, 2005)

GENERIC NAME	ROUTE	PREPARATION
<i>dimeglumine gadopentetate</i>	Inj.:	469 mg/mL aqueous solution, 5 mL, 10 mL, 15 mL and 20 mL vial
<i>gadodiamide</i>	Inj.:	287 mg/mL, aqueous solution, 5 mL, 10 mL, 15 mL and 20 mL vial
<i>iopromide</i>	Inj.:	240 mg/mL equiv. to 499 mg iodine, 50 mL vial 300 mg/mL equiv. to 623 mg iodine, 30 mL, 50 mL, 100 mL, 200 mL and 500 mL vial 370 mg/mL equiv. to 769 mg iodine, 50 mL and 100 mL vial
<i>iothalamate</i>	Inj.:	600 mg/mL, 30 mL, 50 mL vial and 100 mL vial (usually IV) (as meglumine)

-Nothing follows-

B. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDF. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDF.

GENERIC NAME	ROUTE	PREPARATION
<i>amidotrizoate (diatrizoate)</i>	Inj.:	(Intravascular and other parenteral routes as appropriate) 150 mg - 650 mg iodine/mL, 20 mL, 25 mL, 30 mL, 50 mL, 100 mL, and 200 mL ampul/bottle (as meglumine and/or sodium salt)
<i>barium sulfate</i>	Oral:	95%, 96%, 97% and 98% suspension, 300 mL
<i>fluorescein</i>	Inj.:	100 mg/mL, 5 mL ampul (IV) (as sodium salt)
<i>iopamidol</i>	Inj.:	(Intravascular and other parenteral routes as appropriate) 612 mg/mL equiv. to 300 mg iodine, 100 mL vial
<i>iohexol</i>	Inj.:	(Intravascular and other parenteral routes as appropriate) 180 mg iodine/mL, 50 mL vial 240 mg iodine/mL, 50 mL vial 300 mg iodine/mL, 50 mL and 100 mL vial 350 mg iodine/mL, 50 mL, 100 mL and 200 mL vial
<i>ioxithalamic acid</i>	Inj.:	(Intravascular) 9.66 g sodium ioxithalamate + 65.09 g meglumine ioxithalamate (equiv. to 35 g iodine), 20 mL, 50 mL and 100 mL vial 19.81 g meglumine ioxithalamate (equiv. to 9 g iodine) per 30 mL vial 33.015 g meglumine ioxithalamate (equiv. to 15 g iodine) per 50 mL bottle 66.03 g meglumine ioxithalamate (equiv. to 30 g iodine) per 100 mL bottle

-Nothing follows-



ANNEX 3

NEW DRUGS AND DRUG PREPARATIONS INCLUDED IN THE PNDP VOL. ONE (1) SIXTH (6TH) EDITION Section 18.0 DERMATOLOGICAL AND MUCOUS MEMBRANE AGENTS (TOPICAL)

A. NEWLY LISTED DRUGS (compensable by September 1, 2005)

GENERIC NAME	ROUTE	PREPARATION
<i>akapulko (Cassia alata Linn. (fam. Leguminosaea)</i>	Lotion:	50%, 60mL bottle
<i>bethamethasone</i>	Cream or Ointment: Lotion:	0.05%, 5 g and 10 g tube; (as dipropionate) 0.1%, 5 g tube and 500 g jar (as valerate) 0.05%, 30 mL bottle (as dipropionate)
<i>calcitriol</i>	Ointment:	3 mcg/g, 30 g tube
<i>clobetasol</i>	Cream or Ointment: Scalp Solution:	0.05%, 5 g, 10 g and 15 g tube (as propionate) 0.05%, 25 mL bottle (as propionate)
<i>petrolatum/petroleum</i>	Jelly:	USP grade, 25 g, 100 g and 200 g jar

-Nothing follows-

B. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDP. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDP.

GENERIC NAME	ROUTE	PREPARATION
<i>benzoic acid + salicylic acid</i>	Cream or Ointment:	6% benzoic acid + 3% salicylic acid, 30 g tube
<i>benzoyl peroxide</i>	Gel:	5%, 15 g tube or bottle 10%, 10 g, 40 g and 60 g tube or bottle
<i>benzyl benzoate</i>	Lotion:	25%, 60 mL bottle
<i>calamine, plain</i>	Lotion:	8%, 60 mL and 120 mL bottle
<i>chlorhexidine</i>	Solution:	4%, 50 mL bottle (as gluconate)
<i>coal tar</i>	Gel: Shampoo:	7.5%, 100 g tube 2.5%, 130 mL bottle
<i>hydrocortisone</i>	Cream: Lotion:	1%, 500 g jar 1%, 25 mL bottle 2.5%, 25 mL bottle
<i>imidazoles, topical (e.g. clotrimazole, econazole, isoconazole, ketoconazole, miconazole and tioconazole)</i>	Vaginal:	300 mg ovule
<i>mupirocin</i>	Cream:	2%, 5 g sachet
<i>permethrin</i>	Lotion: Shampoo (Creme Rinse):	1%, 125 mL bottle 5%, 30 mL and 60 mL bottle 1%, 30 mL bottle
<i>povidone iodine</i>	Ointment: Solution:	10%, 30 g tube 10%, 30 mL and 1 L bottle
<i>salicylic acid</i>	Solution:	5%, 60 mL bottle 10%, 15 mL, 30 mL and 120 mL bottle 17%, 13.3 mL bottle



B. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDF. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDF.

GENERIC NAME	ROUTE	PREPARATION
<i>selenium sulfide</i>	Lotion: Shampoo:	2.5%, 100 mL bottle 1%, 120 mL and 250 mL bottle
<i>silver sulfadiazine</i>	Cream:	1%, 30 g tube and 450 g jar (micronized)
<i>sulfur</i>	Cream or Ointment:	5% and 10%, 15 g tube
<i>terbinafine</i>	Cream: Solution:	1%, 3g and 5 g tube (as hydrochloride) 1%, 30 mL bottle

-Nothing follows-



ANNEX 4

NEW DRUGS AND DRUG PREPARATIONS INCLUDED IN THE PNDF VOL. ONE (1) SIXTH (6TH) EDITION Section 19.0 OPHTHALMOLOGICAL PREPARATIONS

A. NEWLY LISTED DRUGS (compensable by September 1, 2005)

GENERIC NAME	ROUTE	PREPARATION
<i>dorzolamide</i>	Eye Drops Solution:	2%, 5 mL vial (as hydrochloride)
<i>ganciclovir</i>	Eye Gel:	0.15%, 5 g tube
<i>timolol</i>	Eye Drops Solution:	0.25%, 5 mL bottle (as maleate) 0.5%, 5 mL bottle (as maleate)
<i>trifluridine</i>	Eye Drops:	1%, 5 mL bottle

-Nothing follows-

B. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDF. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDF.

GENERIC NAME	ROUTE	PREPARATION
<i>betaxolol</i>	Eye Drops Solution:	0.5%, 10 mL bottle (as hydrochloride)
<i>chloramphenicol</i>	Eye Ointment: Eye Drops Solution:	1%, 2 g tube 0.5%, 7.5 mL bottle 1%, 7.5 mL bottle
<i>erythromycin</i>	Eye Ointment:	0.5%, 5 g tube
<i>gentamicin</i>	Eye Ointment:	0.3%, 3.0 g and 5.0 g tube (as sulfate) 0.5%, 3 g tube (as sulfate)
<i>intraocular irrigating solution</i> (balanced salt solution)	Solution:	10 mL, 250 mL and 500 mL bottle Composition: Sodium chloride - 0.64% Potassium chloride - 0.075% Calcium chloride - 0.048% Magnesium chloride hexahydrate - 0.03% Sodium acetate - 0.39% Sodium citrate - 0.17% Water for injection to make 100%
<i>lidocaine</i>	Inj.:	2%, 2 mL ampul (as hydrochloride) 2%, 20 mL vial (as hydrochloride)
<i>pilocarpine</i>	Eye Gel:	4%, 5 g tube (as hydrochloride)
<i>sulfacetamide</i>	Eye Drops Solutions:	10%, 10 mL bottle (as sodium salt)

↳

-Nothing follows-



ANNEX 5

NEW DRUGS AND DRUG PREPARATIONS INCLUDED IN THE PNDF VOL. ONE (1) SIXTH (6TH) EDITION Section 20.0 EAR, NOSE AND THROAT PREPARATIONS

A. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDF. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDF.

GENERIC NAME	ROUTE	PREPARATION
<i>phenylpropanolamine</i> (A2)	Oral:	6.25 mg/mL drops (solution), 10 mL (as hydrochloride) 12.5 mg /5 mL syrup, 60 mL and 120 mL (as hydrochloride)
<i>neomycin + polymyxin B + fluocinolone acetonide</i>	Ear Drops Solution:	3.5 mg neomycin (as sulfate) + 10,000 U polymyxin B (as sulfate) + 0.025% fluocinolone acetonide/mL, 5 mL bottle

-Nothing follows-

B. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDF. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDF.

GENERIC NAME	ROUTE	PREPARATION
<i>chlaramphenicol</i>	Ear Drops Solution:	0.5%, 5 mL bottle 1.0% and 5%, 15 mL bottle
<i>lidocaine</i>	Ointment:	5%, 35 g and 50 g tube (as hydrochloride)
<i>oxymetazoline</i>	Nasal Spray:	0.05%, 10 mL bottle (as hydrochloride)

-Nothing follows-



ANNEX 6

NEW DRUGS AND DRUG PREPARATIONS INCLUDED IN THE PNDF VOL. ONE (1) SIXTH (6TH) EDITION Section 21.0 VITAMINS AND MINERALS

A. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDF. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDF.

GENERIC NAME	ROUTE	PREPARATION
★ <i>folic acid</i>	Oral:	5 mg capsule
<i>nicotinamide (vitamin B3)</i>	Oral:	100 mg tablet
<i>retinol (vitamin A)</i>	Oral:	10,000 IU/mL, 30 mL bottle (oily solution) (as palmitate)
<i>riboflavin (vitamin B2)</i>	Oral:	50 mg tablet
<i>thiamine (vitamin B1)</i>	Oral:	10 mg tablet (as hydrochloride)
<i>vitamin B1 B6 B12</i>	Oral:	100 mg + 5 mg + 50 mcg per capsule
★ <i>zinc</i>	Oral:	27.5 mg/mL (equiv. to 10 mg elemental zinc) 15 ml drops, (as sulfate monohydrate) 55 mg/5 mL (equiv. to 20 mg elemental zinc) 60 ml syrup, (as sulfate monohydrate) 132 mg tablet (equiv. to 30 mg elemental zinc) (as sulfate) 220 mg tablet (equiv. to 50 mg elemental zinc) (as sulfate)

-Nothing follows-



ANNEX 7

NEW DRUGS AND DRUG PREPARATIONS INCLUDED IN THE PNDF VOL. ONE (1) SIXTH (6TH) EDITION Section 22.0 DISINFECTANTS

A. NEWLY LISTED DRUG PREPARATIONS (compensable by September 1, 2005)

Note: The following drugs, in their generic/international non-proprietary names (INN), are already included in the 5th edition of the PNDF. Below are the newly listed preparations of these drugs as contained in the 6th (latest) edition of the PNDF.

GENERIC NAME	ROUTE	PREPARATION
<i>glutaraldehyde (glutaral)</i>	Solution:	2% (with alkaline activating solution) 120 mL and 1 liter
<i>hydrogen peroxide</i>	Solution:	3%, 60 mL bottle
<i>povidone iodine</i>	Solution:	10%, 30 mL, 240 mL, 1 liter and 1 gallon bottle

-Nothing follows-

