

**Annex D: Checklist of PhilHealth Konsulta Drugs and its Preparations
as of September 2022 and Future Iterations Thereof**

| ACTIVE INGREDIENT/MEDICINE | DOSAGE FORM/STRENGTH |
|---|--|
| Amlodipine | 5 mg tablet (as besilate/camsylate) |
| Amlodipine | 10 mg tablet (as besilate/camsylate) |
| Amoxicillin (as trihydrate) | 250 mg capsule |
| Amoxicillin (as trihydrate) | 500 mg capsule |
| Amoxicillin (as trihydrate) | 100 mg/mL granules/powder for drops (suspension), 15 mL |
| Amoxicillin (as trihydrate) | 250 mg/5 mL granules/powder for suspension, 60 mL |
| Aspirin | 80 mg tablet |
| Aspirin | 100 mg tablet |
| Aspirin | 300 mg tablet |
| Aspirin | 325 mg tablet |
| Chlorphenamine (Chlopheniramine) (as maleate) | 4 mg Tablet |
| Chlorphenamine (Chlopheniramine) (as maleate) | 2.5 mg/5mL syrup, 60 mL |
| Ciprofloxacin | 250 mg tablet (as hydrochloride) |
| Ciprofloxacin | 500 mg tablet (as hydrochloride) |
| Clarithromycin | 250 mg base tablet |
| Clarithromycin | 500 mg base tablet |
| Clarithromycin | 125 mg/5 mL granules/powder for suspension, 50 mL |
| Clarithromycin | 250 mg/5 mL granules/powder for suspension, 50 mL |
| Co-Amoxiclav (Amoxicillin + Potassium Clavulanate) | 500 mg amoxicillin (as trihydrate) + 125 mg potassium clavulanate per tablet |
| Co-Amoxiclav (Amoxicillin + Potassium Clavulanate) | 875 mg amoxicillin (as trihydrate) + 125 mg potassium clavulanate per tablet |
| Co-Amoxiclav (Amoxicillin + Potassium Clavulanate) | 200 mg amoxicillin (as trihydrate) + 28.5 mg potassium clavulanate per 5 mL granules/powder for suspension, 70 mL |
| Co-Amoxiclav (Amoxicillin + Potassium Clavulanate) | 400 mg amoxicillin (as trihydrate) + 57 mg potassium clavulanate per 5 mL granules/powder for suspension, 70 mL |
| Co-Amoxiclav (Amoxicillin + Potassium Clavulanate) | 600 mg amoxicillin (as trihydrate) + 42.9 mg potassium clavulanate per 5 mL granules/powder for suspension |
| Cotrimoxazole (sulfamethoxazole + trimethoprim) | 400 mg sulfamethoxazole + 80 mg trimethoprim tablet/capsule (B) |
| Cotrimoxazole (sulfamethoxazole + trimethoprim) | 800 mg sulfamethoxazole + 160 mg trimethoprim tablet (B) |
| Cotrimoxazole (sulfamethoxazole + trimethoprim) | 200 mg sulfamethoxazole + 40 mg trimethoprim/ 5 mL suspension, 70mL |
| Cotrimoxazole (sulfamethoxazole + trimethoprim) | 200 mg sulfamethoxazole + 40 mg trimethoprim/ 5 mL suspension, 120mL |
| Cotrimoxazole (sulfamethoxazole + trimethoprim) | 400 mg sulfamethoxazole + 80 mg trimethoprim per 5 mL suspension, 60 mL |
| Enalapril (as maleate) | 5 mg tablet |
| Enalapril (as maleate) | 20 mg tablet |
| Enalapril + Hydrochlorothiazide | 20 mg enalapril + 12.5 mg hydrochlorothiazide tablet |
| Fluticasone (as propionate) + Salmeterol (as xinafoate) | Inhalation: DPI 100 micrograms fluticasone + 50 micrograms salmeterol x 28 doses and 60 doses with appropriate accompanying dispenser |
| Fluticasone (as propionate) + Salmeterol (as xinafoate) | Inhalation: DPI 250 micrograms fluticasone + 50 micrograms salmeterol x 28 doses and 60 doses with appropriate accompanying dispenser |

| | |
|---|--|
| Fluticasone (as propionate) + Salmeterol (as xinafoate) | Inhalation: DPI 500 micrograms fluticasone + 50 micrograms salmeterol x 28 doses and 60 doses with appropriate accompanying dispenser |
| Fluticasone (as propionate) + Salmeterol (as xinafoate) | MDI: 50 micrograms fluticasone + 25 micrograms salmeterol x 120 actuations (with dose counter*) |
| Fluticasone (as propionate) + Salmeterol (as xinafoate) | MDI: 125 micrograms fluticasone + 25 micrograms salmeterol x 120 actuations (*) |
| Fluticasone (as propionate) + Salmeterol (as xinafoate) | MDI: 250 micrograms fluticasone + 25 micrograms salmeterol x 120 actuations (*) |
| Gliclazide | 30 mg MR tablet |
| Gliclazide | 60 mg MR tablet |
| Gliclazide | 80 mg tablet |
| Hydrochlorothiazide | 12.5 mg tablet |
| Hydrochlorothiazide | 25 mg tablet |
| Losartan (as potassium salt) | 50 mg tablet |
| Losartan (as potassium salt) | 100 mg tablet |
| Metformin (as hydrochloride) | 500 mg tablet |
| Metformin (as hydrochloride) | 500 mg film coated tablet |
| Metformin (as hydrochloride) | 850 mg tablet |
| Metoprolol (as tartrate) | 50 mg tablet |
| Metoprolol (as tartrate) | 100 mg tablet |
| Nitrofurantoin | 50 mg capsule (asmacrocrystals) |
| Nitrofurantoin | 100 mg capsule (asmacrocrystals) |
| Oral Rehydration Salts (ORS) | 20.5 sachet |
| Paracetamol | 300 mg tablet |
| Paracetamol | 500 mg tablet |
| Paracetamol | 100 mg/mL drops, 15 mL (alcohol-free) |
| Paracetamol | 120 mg/5 mL (125 mg/5 mL) syrup/suspension, 30 mL (alcohol-free) |
| Paracetamol | 120 mg/5 mL (125 mg/5 mL) syrup/suspension, 60 mL (alcohol-free) |
| Paracetamol | 120 mg/5 mL (125 mg/5 mL) syrup/suspension, 120 mL (alcohol-free) |
| Paracetamol | 250 mg/5 mL syrup/suspension, 30 mL (alcohol-free) |
| Paracetamol | 250 mg/5 mL syrup/suspension, 60 mL (alcohol-free) |
| Paracetamol | 250 mg/5 mL syrup/suspension, 120 mL (alcohol-free) |
| Paracetamol | Rectal: 125 mg suppository |
| Paracetamol | Rectal: 250 mg suppository |
| Prednisone | 5 mg tablet |
| Prednisone | 10 mg tablet |
| Prednisone | 20 mg tablet |
| Prednisone | 10 mg/5 mL suspension, 60 mL |
| Salbutamol (as sulfate) | 2 mg/5 mL syrup, 60 mL |
| Salbutamol (as sulfate) | Dry Powder Inhaler (DPI): 200 micrograms/dose with appropriate accompanying dispenser |
| Salbutamol (as sulfate) | Metered Dose Inhaler (MDI): 100 micrograms/dose x 200 actuations |

| | |
|--------------------------|--|
| Salbutamol (as sulfate) | Breath Actuated MDI. • 100 micrograms/dose x 200 actuations |
| Salbutamol (as sulfate) | Resp. Soln.: (for nebulization) 1 mg/mL, 2.5 mL (unitdose) |
| Salbutamol (as sulfate) | Resp. Soln.: (for nebulization) 2mg/mL, 2.5 mL (unitdose) |
| Ipratropium + Salbutamol | MDI: 20 micrograms ipratropium (as bromide) + 100 micrograms salbutamol x 200 doses x 10mL |
| Ipratropium + Salbutamol | Resp. Soln.: (for nebulization) 500 micrograms ipratropium (as bromide anhydrous) + 2.5 mg salbutamol (as base) x 2.5 mL (unit dose) |
| Simvastatin | 20 mg tablet |
| Simvastatin | 40 mg tablet |